Fluid Phase Equilibria, 89 (1993) 403–404
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 89 (1993)

Volume 89, No. 1

Preface xi

Saturated liquid densities of 1-alkanols from C_1 to C_{10} and *n*-alkanes from C_5 to C_{16}: a critical evaluation of experimental data
I. Cibulka (Prague, Czech Republic) 1–18

Development of a vapour pressure equation for methanol
R.J.B. Craven and K.M. de Reuck (London, UK) 19–29

Review of experimental and recommended data for the excess molar volumes of 1-alkanol + *n*-alkane binary mixtures
A.J. Treszczanowicz, T. Treszczanowicz (Warsaw Poland) and G.C. Benson (Ottawa, Ont., Canada) 31–56

Excess molar heat capacities and enthalpies for 1-alkanol + *n*-alkane binary mixtures. New measurements and recommended data
A.H. Roux, G. Roux-Desgranges and J.-P.E. Grolier (Aubiere, France) 57–88

Limiting activity coefficients in the 1-alkanol + *n*-alkane systems. A survey of experimental data and their critical evaluation
V. Dohnal, B. Kopecka and D. Fenclova (Prague, Czech Republic). 89–102

Recommendations for VLE data on binary 1-alkanol + *n*-alkane systems
P. Oracz (Warsaw, Poland) 103–172

Vapour–liquid equilibria and excess enthalpies in 1-alkanol + *n*-alkane mixtures
I. Nagata and K. Miyamoto (Kanazawa, Japan) 173–186

Correlation of LLE in 1-alkanol + *n*-alkane binary mixtures using the modified Wilson equation
Y. Arai (Kyushu, Japan), H. Higashiuchi and Y. Sakuragi (Kurume, Japan) 187–196

Thermodynamics of 1-alkanol + *n*-alkane mixtures based on predictions of the ERAS model
M. Bender and A. Heintz (Heidelberg, Germany) 197–215

Applications of the LFAS model to 1-alkanol + *n*-alkane systems
Ch. Ormanoudis and C. Panayiotou (Thessaloniki, Greece) 217–228

Application of an EOS chain association theory to the calculation of thermodynamic properties of (alkane + 1-alkanol) mixtures
U.K. Deiters (Bochum, Germany) 229–242

Model for alkanol + alkane mixtures: calculation of key systems
A. Liu and F. Kohler (Bochum, Germany) 243–252

Volume 89, No. 2

Calculation of heats of vaporization of selected groups of organic compounds containing oxygen, sulphur or nitrogen by using saturated vapour pressure data
P. Basařová, V. Svoboda and Z. Kolská (Prague, Czech Republic). 253–289

Pitfalls in fitting binary vapor–liquid equilibria data with two-parameter equations
J. Wisniak (Beer-Sheva, Israel) 291–302
Ab initio equation of state phase equilibria computations via path continuation
A.E. DeGance (Tulsa, OK, USA)..... 303–334
Measurement of the gas phase solubility of decane in nitrogen
D.L. Pearce, C.J. Peters and J. de Swaan Arons (Delft, Netherlands) 335–343

Short Communication

The effect of halides on the lower critical solution temperature of the 2,6-lutidine–water system
C.Y. Seah, C.A. Grattoni and R.A. Dawe (London, UK)..... 345–350

Review

Mutual solubilities of mono-alcohols and carbon dioxide: a review of experimental data
A. Staby and J. Mollerup (Lyngby, Denmark)..... 351–381

Letters to the Editor

Recent vapour pressure equations for the Lennard-Jones fluid based on molecular simulations
J. Vrabec, A. Lotfi and J. Fischer (Bochum, Germany)..... 383–385
Some comments on the study of the salting out effect in liquid–liquid equilibrium
F. Ruiz Beviá and A.F. Marcilla Gomis (Alicante, Spain) 387–395
Comments on the letter of Professor Ruiz Beviá concerning our articles published in *Fluid Phase Equilibria*, Vol. 44 (1988) pages 53–75 and Vol. 70 (1991) pages 65–106
D. Srinivasan and M. Rajendran (Madras, India)..... 397–398

Announcement 399–400

Author Index 401

Contents of Volume 89 (1993)..... 403–404